



DESCRIPTION

MINOS BRAKE & METAL CLEANER is a quick acting special cleaner with high dissolving properties suitable for drum brakes, disk brakes, brake linings, brake calipers, clutch, gears and other components. Cleans soot, grease, brake dust, brake fluid build-up and oily residues. Prevents squeaking brakes and clutch slipping. Cleans dirt from metal parts and bare metal surfaces.

ADVANTAGES

- Ensures good performance of brakes
- Extra strong dissolving action
- Leaves no residue
- Non corrosive
- Easy to use

APPLICATIONS

- Suitable for automobiles, vans, trucks, buses, trailers, motorcycles etc.
- Suitable for cleaning burners, lift equipment, machinery, metal parts and bare metal surfaces.
- It penetrates difficult blocked points with old deposits of dirt and grease.
- Stops brake squeaks and clutch slips.

METHOD OF APPLICATION

1. Before use, shake the aerosol for 30" and spray a sample.
2. Hold the can vertically and spray liberally on the parts to be cleaned and let it work for a few minutes.
3. If necessary, wipe clean with an absorbing cloth.
4. In case of extensive carbon contamination, repeat the procedure.
5. After use, turn can upside down and press the nozzle for 5" to clean the valve.

WARNING: the product, due to its cleaning action, may affect plastics and painted surfaces. Use with caution. Clean immediately any leakage.

CLEANING

With soap and water immediately after use

CONSUMPTION

3 - 3,8 ml/cm²

TECHNICAL DATA

Form: Liquid

Colour: Transparent

Odour: Characteristic

Relative density: 0,75 gr/ml

Application temperature: 10°C - 30°C

VOC (Volatile Organic Compounds) CONTENT: (Directive 2004/42/CE) EU maximum VOC content limit values for this product (category Be 'Special finishes'): 840 gr/lit (2010). This product contains maximum 820 gr/lit VOCs (ready for use product).

STORAGE

In a cool and dry place at temperatures between +5°C - +25°C away from sources of ignition. Avoid direct sunlight.

SHELF LIFE

At least 5 years in unopened original package, under above mentioned storage conditions.

PACKAGING

Spray 400ml

PACKAGING	CODE	BARCODE
400ml	9234	5204094092346

HEALTH, SAFETY AND ENVIRONMENTAL INFORMATION



Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects
Carc. 2: H351 - Suspected of causing cancer
Eye Irrit. 2: H319 - Causes serious eye irritation
Flam. Liq. 2: H225 - Highly flammable liquid and vapour
P101: If medical advice is needed, have product container or label at hand
P102: Keep out of reach of children
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P264: Wash thoroughly after handling
P280: Wear protective gloves/protective clothing/eye protection/face protection
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P370+P378: In case of fire: Use ABC powder extinguisher to extinguish.
P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F
P501: Dispose of contents/container according to the separated collection system used in your municipality
EUH066: Repeated exposure may cause skin dryness or cracking. Substances that contribute to the classification: Perchloroethylene

The directives contained in this technical data sheet are the result of our long experience from real life applications and the research testing of our research and development laboratory and have been submitted in good faith. Because of the diversity of the materials and substrates and the great number of possible applications, which are beyond our control, we cannot accept any responsibility for the results obtained. In every case it is recommended to carry out preliminary experiments. We are liable only for our products for being free from faults and of consistent quality. Users are responsible for complying with local legislation and for obtaining any required approvals or authorizations. The present edition of this technical datasheet automatically cancels any previous ones concerning the same product.

