VIMATEC- N. VIDALIS S.A Revision nr. 3		Revision nr. 3	
		Dated 19/10/2018	
0011X1501 - TOP DECOR ACRYL		Printed on 19/10/2018	
			Page n. 1/10
		Safaty Data Shaat	
		Safety Data Sheet	
SECTION 1. Ident	tification of the sub	ostance/mixture and of the compa	ny/undertaking
4.4. Droduct identifier			
<b>1.1. Product identifier</b> Code:		0011X1501	
Product name		TOP DECOR ACRYL	
1.2. Relevant identified Intended use	uses of the substance or PASTE FINISHING (	mixture and uses advised against	
1.3 Dotails of the average	lier of the safety data shee	*	
Name	ner of the safety data shee	VIMATEC- N. VIDALIS S.A	
Full address District and Country		MAKEDONIAS 1-3 54641 THESSALONIKI (THESSALONIKI)	
,		GREECE	
		Tel. 00302310858561	
e en elle el des en e <b>f</b> de el en		Fax 00302310780907	
e-mail address of the con responsible for the Safety		factory@vimatec.eu	
4.4. Emergeney telephe	ne number		
<b>1.4. Emergency telepho</b> For urgent inquiries refer		00302107793777 (GREECE)	
SECTION 2 Haza	rds identification		
SECTION 2. Haza			
2.1. Classification of the	substance or mixture		
The product is not classifie	d as hazardous pursuant to	the provisions set forth in EC Regulation 1272/20	008 (CLP).
	t contains hazardous substant mpliant to (EU) Regulation 2		n section no. 3, it requires a safety data sheet with
Hazard classification and ir			
2.2. Label elements			
Hazard labelling pursuant t	to FC Regulation 1272/2008	(CLP) and subsequent amendments and supple	ments
Hazard pictograms:			
Signal words:			
Hazard statements:			
EUH210 EUH208	Safety data sheet availab Contains:, CIT/MIT, mixtu		
2011200	May produce an allergic r	eaction.	

0011X1501 - TOP DECOR ACRYL

Revision nr. 3

Dated 19/10/2018

Printed on 19/10/2018 Page n. 2/10

Precautionary statements:

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

### **SECTION 3.** Composition/information on ingredients

3.1. Substances

Information not relevant

3.2. Mixtures

Contains:

Identification	Conc. %	Classification 1272/2008 (CLP)
TALC		
CAS 14807-96-6	1 - 1,5	Acute Tox. 4 H332, STOT SE 3 H335
EC 238-877-9		
INDEX -		
CIT/MIT, mixture of thiazolines		
CAS 55965-84-9	0 - 0,0015	Acute Tox. 3 H301, Acute Tox. 3 H311, Acute Tox. 3 H331, Skin Corr. 1B H314, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410
EC -		-
INDEX 613-167-00-5		

Note: Upper limit is not included into the range

The full wording of hazard (H) phrases is given in section 16 of the sheet.

### **SECTION 4. First aid measures**

#### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

### 4.2. Most important symptoms and effects, both acute and delayed

For symptoms and effects caused by the contained substances, see section 11.

4.3. Indication of any immediate medical attention and special treatment needed Information not available

Revision nr. 3

### Dated 19/10/2018

# 0011X1501 - TOP DECOR ACRYL

Printed on 19/10/2018

### Page n. 3/10

### **SECTION 5. Firefighting measures**

#### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide and chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water.

Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

If large quantities of the product are involved in a fire, they can make it considerably worse. Do not breathe combustion products.

### 5.3. Advice for firefighters

GENERAL INFORMATION

In the case of fire, use jets of water to cool the containers to prevent the risk of explosions (product decomposition and excess pressure) and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Remove all containers containing the product from the fire, if it is safe to do so.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

### **SECTION 6.** Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

### **SECTION 7. Handling and storage**

#### 7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

### 7.3. Specific end use(s)

Information not available

### **SECTION 8. Exposure controls/personal protection**

### 8.1. Control parameters

### Revision nr. 3 **VIMATEC- N. VIDALIS S.A** Dated 19/10/2018 Printed on 19/10/2018 0011X1501 - TOP DECOR ACRYL Page n. 4/10

Regulatory References:

GBR GRC	United Kingdom Ελλάδα TLV-ACGIH	ΕΗ40/2005 Workplace exposure limits ΕΦΗΜΕΡΙΣ ΤΗΣ ΚΥΒΕΡΝΗΣΕΩΣ -ΤΕΥΧΟΣ ΠΡΩΤΟ Αρ. Φύλλου 19 -9 Φεβρουαρίου 2012 ACGIH 2018
TALC		
Threshold	Limit Valuo	

Threshold Linnit Val	ue						
Туре	Country	TWA/8h		STEL/15min			
		mg/m3	ppm	mg/m3	ppm	 	
		ing/ino	ppm	mg/mo	ppin		
WEL	GBR	1					
TLV	GRC		10				
TLV-ACGIH		2					

TLV-ACGIH

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

### 8.2. Exposure controls

Comply with the safety measures usually applied when handling chemical substances.

HAND PROTECTION None required.

SKIN PROTECTION None required.

EYE PROTECTION None required.

RESPIRATORY PROTECTION None required, unless indicated otherwise in the chemical risk assessment.

### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

### **SECTION 9.** Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance Colour Odour Odour threshold pH	Not available Not available Not available Not available Not available
, Melting point / freezing point	Not available
Initial boiling point	Not available
Boiling range	Not available
Flash point	> 60 °C
Evaporation rate	Not available
Flammability (solid, gas)	Not available

# 0011X1501 - TOP DECOR ACRYL

Revision nr. 3

Page n. 5/10

Dated 19/10/2018

Printed on 19/10/2018

Lower inflammability limit Upper inflammability limit Lower explosive limit Upper explosive limit Vapour pressure Vapour density Relative density Solubility Partition coefficient: n-octanol/water Auto-ignition temperature Decomposition temperature	Not available Not available Not available Not available Not available Not available Not available Not available Not available Not available
Auto-ignition temperature	Not available

#### 9.2. Other information

Information not available

### **SECTION 10. Stability and reactivity**

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

CALCIUM CARBONATE: decomposes at temperatures above 800°C/1472°F. CALCIUM CARBONATE: decomposes at temperatures above 800°C/1472°F.

#### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

### 10.5. Incompatible materials

CALCIUM CARBONATE: acids. CALCIUM CARBONATE: acids.

#### 10.6. Hazardous decomposition products

CALCIUM CARBONATE: calcium oxides, carbon oxides. CALCIUM CARBONATE: calcium oxides, carbon oxides.

### **SECTION 11. Toxicological information**

#### 11.1. Information on toxicological effects

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

This product contains sensitizing substance/s and may cause allergic reactions.

CALCIUM CARBONATE LD50 (Oral) 6450 mg/kg Rat

# 0011X1501 - TOP DECOR ACRYL

Revision nr. 3

Dated 19/10/2018

Printed on 19/10/2018 Page n. 6/10

TITANIUM DIOXIDE LD50 (Oral) > 10000 mg/kg Rat

CALCIUM CARBONATE LD50 (Oral) 6450 mg/kg Rat

### **SECTION 12. Ecological information**

No specific data are available for this product. Handle it according to good working practices. Avoid littering. Do not contaminate soil and waterways. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation. Please take all the proper measures to reduce harmful effects on aquifers.

12.1. Toxicity

Information not available

### 12.2. Persistence and degradability

CALCIUM CARBONATE Solubility in water	mg/l 0,1 - 100	
TALC Solubility in water	< 0,1 mg/l	
TITANIUM DIOXIDE Solubility in water Degradability: information not available	< 0,001 mg/l	
CALCIUM CARBONATE Solubility in water 12.3. Bioaccumulative potential	mg/l 0,1 - 100	
Information not available		
12.4. Mobility in soil Information not available		
12.5. Results of PBT and vPvB assessment		
On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.		
12.6. Other adverse effects		
Information not available		
SECTION 13. Disposal considerations		

0011X1501 - TOP DECOR ACRYL

Revision nr. 3

Page n. 7/10

Dated 19/10/2018

Printed on 19/10/2018

#### 13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

### **SECTION 14. Transport information**

14.1. UN number

Not applicable

### 14.2. UN proper shipping name

Not applicable

### 14.3. Transport hazard class(es)

Not applicable

### 14.4. Packing group

Not applicable

### 14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

# **SECTION 15. Regulatory information**

0011X1501 - TOP DECOR ACRYL

Revision nr. 3

Dated 19/10/2018

Printed on 19/10/2018 Page n. 8/10

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Seveso category None
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006
None
Substances in Candidate List (Art. 59 REACH)
None
Substances subject to authorisation (Annex XIV REACH)
None
Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:
None
Substances subject to the Rotterdam Convention:
None
Substances subject to the Stockholm Convention:
None
Healthcare controls
Information not available
15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

### **SECTION 16.** Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
Skin Corr. 1B	Skin corrosion, category 1B
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.

# 0011X1501 - TOP DECOR ACRYL

Revision nr. 3

Page n. 9/10

Dated 19/10/2018

Printed on 19/10/2018

H332	Harmful if inhaled.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH210	Safety data sheet available on request.

I FGFND

#### - ADR: European Agreement concerning the carriage of Dangerous goods by Road

- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- **OEL: Occupational Exposure Level**
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- Regulation (EU) 2015/830 of the European Parliament
   Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website

Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

Revision nr. 3

Page n. 10/10

# 0011X1501 - TOP DECOR ACRYL

Dated 19/10/2018

Printed on 19/10/2018

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property. The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified: 01 / 02 / 03 / 04 / 07 / 11 / 12 / 16.