Printing date 23.10.2015

version n°1

Revision: 23.10.2015

SECTION 1: Identification of the substance/mixture and of the company/ undertaking
 - 1.1 Product identifier - Trade name: <u>GEOLITE 40</u> - 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. - Application of the preparation: Repair mortar
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Kerakoll Hellas E.P.E. 1°Km Schimatariou - Avlidas Thesi Routhounia 32009 Schimatari - Viotias Tel +30-22620.57.151 Greece
 E-mail address of the competent person responsible for the SDS: safety@kerakoll.com
 Informing department: Product safety department 1.4 Emergency telephone number: +39-0536-816511
SECTION 2: Hazards identification
 - 2.1 Classification of the substance or mixture - Classification according to Regulation (EC) No 1272/2008
GHS05 corrosion
Eye Dam. 1 H318 Causes serious eye damage.
GHS07
Skin Irrit. 2 H315 Causes skin irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation.
 - 2.2 Label elements - Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. - Hazard pictograms
GHS05 GHS07 - Signal word Danger
 Signal word Danger Hazard-determining components of labelling: Portland Cement (Contain reducing agents: Cr VI < 0,0002%) Calcium Aluminate Sulfate Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

Printing date 23.10.2015

version n°1

Revision: 23.10.2015

(Control of moment)

Trade name: GEOLITE 40

	(Contd. of page 1)
- Precautionary s	statements
P260	Do not breathe dust.
P280	Wear protective gloves / eye protection.
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.
- 2.3 Other hazar	ds

- Results of PBT and vPvB assessment

- PBT: Not applicable.

- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures

- Description: Mixture consisting of the following components.

- Dangerous components:			
CAS: 65997-15-1	Portland Cement	25-50%	
EINECS: 266-043-4	043-4 (Contain reducing agents: Cr VI < 0,0002%)		
	Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335		
CAS: 12005-25-3	Calcium Aluminate Sulfate	1-2,99%	
	🚸 Skin Sens. 1, H317		
- Additional informat	ion For the wording of the listed risk phrases refer to section 16		

Additional information For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- After inhalation In case of unconsciousness bring patient into stable side position for transport.
- After skin contact Instantly wash with water and soap and rinse thoroughly.
- After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.
- After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents
- CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- 5.2 Special hazards arising from the substance or mixture

Formation of poisonous gases during heating or in fires.

- 5.3 Advice for firefighters
- Protective equipment: Put on breathing apparatus.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Put on breathing apparatus.

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.

(Contd. on page 3)

Printing date 23.10.2015

version n°1

Revision: 23.10.2015

(Contd. of page 2)

Trade name: GEOLITE 40

(Contd. of page 2	<u>'</u>)
- 6.3 Methods and material for containment and cleaning up:	
Use neutralising agent.	
Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.	
- 6.4 Reference to other sections	
See Section 7 for information on safe handling	
See Section 8 for information on personal protection equipment.	
See Section 13 for information on disposal.	
SECTION 7: Handling and storage	
SECTION 7. Handling and storage	
- 7.1 Precautions for safe handling	
Thorough dedusting.	
Ensure good ventilation/exhaustion at the workplace.	
Prevent formation of dust. - Information about protection against explosions and fires: Keep breathing equipment ready.	
- 7.2 Conditions for safe storage, including any incompatibilities	
 Storage Requirements to be met by storerooms and containers: No special requirements. 	
- Information about storage in one common storage facility: Not required.	
- Further information about storage conditions: Keep container tightly sealed.	
- 7.3 Specific end use(s) No further relevant information available.	
SECTION 8: Exposure controls/personal protection	
- Additional information about design of technical systems: No further data; see item 7.	
- 8.1 Control parameters	_
- Components with limit values that require monitoring at the workplace:	
65997-15-1 Portland Cement (Contain reducing agents: Cr VI < 0,0002%)	
WEL Long-term value: 10* 4** mg/m ³	
*inhalable dust **respirable dust	
- Additional information: The lists that were valid during the compilation were used as basis.	
- 8.2 Exposure controls	
- Personal protective equipment	
- General protective and hygienic measures	
Keep away from foodstuffs, beverages and food.	
Take off immediately all contaminated clothing Wash hands during breaks and at the end of the work.	
Avoid contact with the skin.	
Avoid contact with the eyes and skin.	
- Breathing equipment: Not required.	
- Protection of hands:	
Protective gloves.	
Impervious gloves	
- Material of gloves	
Rubber gloves PVC or PE gloves	
- Eye protection: Tightly sealed safety glasses.	
(Contd. on page 4	F)

Printing date 23.10.2015

version n°1

Revision: 23.10.2015

Trade name: GEOLITE 40

(Contd. of page 3)

SECTION 9: Physical and che	emical properties	
 9.1 Information on basic physical and chemical properties General Information 		
- Appearance: Form:	Powder	
Colour:	Grey	
- Odour:	Odourless	
- Odour threshold:	Not determined.	
- pH-value at 20 ℃:	11	
- Change in condition		
Melting point/Melting range:	Not determined	
Boiling point/Boiling range:	Not determined	
- Flash point:	- °C	
 Inflammability (solid, gaseous) 	Not determined.	
- Ignition temperature:		
Decomposition temperature:	Not determined.	
- Self-inflammability:	Product is not selfigniting.	
- Danger of explosion:	Product is not explosive.	
 Critical values for explosion: 		
Lower:	Not determined.	
Upper:	Not determined.	
- Vapour pressure:	Not applicable.	
- Density at 20 °C	1,2 g/cm ³	
- Relative density	Not determined.	
- Vapour density	Not applicable.	
- Evaporation rate	Not applicable.	
- Solubility in / Miscibility with		
Water:	Soluble	
- Partition coefficient (n-octanol/water): Not determined.		
- Viscosity:		
dynamic:	Not applicable.	
kinematic:	Not applicable.	
Organic solvents:	0,0 %	
- 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known

- 10.4 Conditions to avoid No further relevant information available.

- 10.5 Incompatible materials: No further relevant information available.

- 10.6 Hazardous decomposition products: No dangerous decomposition products known

(Contd. on page 5)

Printing date 23.10.2015

version n°1

Revision: 23.10.2015

Trade name: GEOLITE 40

(Contd. of page 4)

SECTION 11: Toxicological information
 11.1 Information on toxicological effects Acute toxicity Based on available data, the classification criteria are not met. Primary irritant effect: Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye damage. Respiratory or skin sensitisation May cause an allergic skin reaction. CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. STOT-single exposure May cause respiratory irritation. STOT-repeated exposure Based on available data, the classification criteria are not met. Active toxicity Based on available data, the classification criteria are not met.
 SECTION 12: Ecological information 12.1 Toxicity Aquatic toxicity: No further relevant information available. 12.2 Persistence and degradability No further relevant information available. 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. General notes: Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Waste disposal key number: 16 03 03 - inorganic wastes containing dangerous substances

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

- 14.1 UN-Number - ADR, ADN, IMDG, IATA	The product is not dangerous according to ADR, ADN, IMDG, IATA. Void
	(Contd. on page 6)

Printing date 23.10.2015

version n°1

Revision: 23.10.2015

Trade name: GEOLITE 40

		(Contd. of page 5)
- 14.2 UN proper shipping name - ADR, ADN, IMDG, IATA	Void	
- 14.3 Transport hazard class(es)		
- ADR, ADN, IMDG, IATA - Class	Void	
- 14.4 Packing group - ADR, IMDG, IATA	Void	
- 14.5 Environmental hazards:	Not applicable.	
- 14.6 Special precautions for user	Not applicable.	
 - 14.7 Transport in bulk according to Ani of Marpol and the IBC Code 	nex II Not applicable.	
- UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations

The product is subject to classification in accordance with the prevailing version of the regulations on hazardous materials.

- Additional classification according to Decree on Hazardous Materials, Annex II: -
- Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- Other regulations, limitations and prohibitive regulations Directive 2003/53/EC. For the maintenance of the reducing agent activity, see condition and conservation time indicated on the pack.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

- Relevant phrases
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- Department issuing data specification sheet: SCP
- Contact: Dr. G. Ghirardini c/o Kerakoll S.p.A. tel. +39-0536-816511 fax +39-0536-816581
- Others regulations

The safety data sheet has been drawn up in accordance with European directives 1999/45/EC, 2001/58/EC, 2001/59/EC and 2001/60/EC.

 - Abbreviations and acronyms:
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative

Printing date 23.10.2015

version n°1

Revision: 23.10.2015

Trade name: GEOLITE 40

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 (Contd. of page 6)